

Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

1. Identification

1.1. Product identifier

Product Identity NDT Oxy-Bleach Plus

Alternate Names NDT Oxy-Bleach Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Laundry Bleach

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gurtler Industries, Inc.
15475 South LaSalle St.
South Holland, IL 60473 US

Emergency

24 hour Emergency Telephone No. (708) 331-2550

Customer Service: Gurtler Industries, Inc. INFOTRAC - (800) 535-5053

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Oxidizing Liq., 2, H272	May intensify fire, oxidizer
Serious eye dam; 1, H318	Causes serious eye damage
Oral: Acute toxicity, 4:H302	Harmful if swallowed
Resp Irri., 3, H335	May cause respiratory irritation
Aqua Tox., 3, H412	Harmful to aquatic life with long lasting effects

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H272: May intensify fire; oxidizer.
H302: Harmful if swallowed.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.



Safety Data Sheet NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

H412: Harmful to aquatic life with long lasting effects.

[Prevention]:

- P210: Keep away from heat.
- P220: Keep/Store away from clothing/combustible materials
- P221: Take any precaution to avoid mixing with combustibles.
- P261: Avoid breathing gas/mist/vapours/spray
- P264 Wash thoroughly after handling.
- P270: Do not eat drink or smoke when using this product
- P217: Use only outdoors or in well-ventilated area.
- P273: Avoid release to the environment.
- P280: Wear protective gloves/eye protection/face protection.

[Response]:

- P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
- P310 Immediately call a POISON CENTER or doctor / physician.
- P321 Specific treatment (see information on this label).
- P301+P312+P330 – IF SWALLOWED: Rinse mouth. Do not induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
- P362 Take off contaminated clothing and wash before reuse.
- P370+P378: In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam.

[Storage]:

- P 403+P233: Store in a well-ventilated place. Keep container tightly closed.
- P405: Store locked up.

[Disposal]:

- P501: Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen Peroxide CAS Number: 7722-84-1	30-34	H272, H302, H318, H335, H412	[1]
Water CAS Number: 7732-18-5	66-70	No Data available; no phrases apply	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	If inhaled, remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.
Ingestion	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention immediately. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Rinse mouth.

Note to physician:

Exposure to material may cause delayed lung injury resulting in pulmonary edema and pneumonitis. Exposed individuals should be monitored for 72 hours after exposure for the onset of delayed respiratory symptoms.

5. Fire-fighting measures

5.1. Extinguishing media

Water spray or fog,

5.2. Special hazards arising from the substance or mixture

5.3. Advice for fire-fighters

Oxidizing material. In case of a major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Decomposition will release oxygen, which will intensify fire. Cool closed containers exposed to fire with water spray. Closed containers of the material may explode when subjected to heat from surrounding fire. Do not allow run-off from fire fighting to enter drains or water courses. Fire fighting equipment should be thoroughly decontaminated after use.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

Prevent further leakage or spillage if you can do so without risk. Evacuate area of all unnecessary personnel. Ventilate the area. Eliminate all ignition sources. Avoid generation of vapors. Avoid contact with cellulose, paper, sawdust or similar substances. Risk of self-ignition or promotion of fires. Combustible materials exposed to hydrogen peroxide should be rinsed immediately with large amounts of water to ensure that all the hydrogen peroxide is removed. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

7. Handling and storage

7.1. Precautions for safe handling

Do not taste or swallow.
Don not get in eyes, on skin or on clothing.
Avoid breathing vapor or mist.
Keep from contact with clothing and other combustible materials.
Keep away from heat sparks and flames.
Use only with adequate ventilation.
Wash thoroughly after handling.
Wear fire/flame resistant/retardant clothing.
Prevent product contamination.
Keep only in the original container. Store in tightly closed container.
DO NOT CUT, DRILL, GRIND, OR WELD ON OR NEAR THIS CONTAINER.
Emptied container retains vapor and product residue.
Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.
Avoid contamination.
See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Store in tightly closed container. Store in cool, dry, well ventilated area away from sources of ignition such as flame, sparks and static electricity. Store out of direct sunlight in a cool, well ventilated place. Store in original container.
Incompatible materials: acids, alkalis, reducing agents, and combustibles.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
7722-84-1	Hydrogen Peroxide	OSHA	1.4 mg/m3 TWA
		ACGIH	1.4 mg/m3 TWA
		NIOSH	Not available



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

8.2. Exposure controls

- Respiratory** Avoid breathing vapor or mist. Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components.
- Eyes** Where there is potential for eye contact, wear a face shield, chemical goggles and have eye flushing equipment immediately available.
- Skin** Chemical resistant, impervious gloves should be worn at all time of the following types; neoprene, polyvinylchloride, impervious butyl rubber gloves. Wear a face shield, chemical goggles and chemical resistant clothing. Wear suitable protective clothing Protective shoes or boots.
- Engineering Controls** Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits. If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.
- Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Colorless liquid
Odor	Pungent
Odor threshold	Not Measured
pH	Not available
Melting point / freezing point	-27F
Initial boiling point and boiling range	226F
Flash Point	None
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	24 mmHg
Vapor Density	1.0
Specific Gravity	1.130
Solubility in Water	Miscible
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	<50 cps



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

This product may react with strong acids, strong oxidizing agents and reducing agents.

10.4. Conditions to avoid

Material decomposes with potential to product a rupture of unvented closed, containers.

10.5. Incompatible materials

Metals, organic materials, reducing agents, metallic oxides, dusts, combustible materials (e.g. wood, sawdust), alkaline materials

10.6. Hazardous decomposition products

This material decomposes if contaminated, causing fire and possible explosions. Oxygen can be liberate at temperatures above ambient.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Hydrogen Peroxide CAS Number: 7722-84-1	1200 mg/kg (rat)	>2,000mg/kg (Rabbit)	0.17mg/l (Rate, 4h LC0) No death occurred	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Hydrogen Peroxide CAS Number: 7722-84-1	16.4mg/L (fathead minnow)	Not available	1.38mg/l (S. costatum 72 hr)
Polyacrylic acid, sodium salt CAS Number: 9003-01-04	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN2014	UN2014	UN2014
14.2. UN proper shipping name	UN2014, Hydrogen peroxide, aqueous solutions, 5.1, (8), II	Hydrogen peroxide, aqueous solutions, 5.1, (8), II	Hydrogen peroxide, aqueous solutions, 5.1, (8), II
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: 8 Sub Class: Not Applicable	Air Class: 8
14.4. Packing group	II	II	II
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

15. Regulatory information



Safety Data Sheet

NDT Oxy-Bleach Plus

SDS Revision Date:

05/06/2015

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

EPCRA 311/312 Chemicals and RQs:

Acute Health Hazard, Fire Hazard, Reactivity Hazard

EPCRA 302 Extremely Hazardous:

Hydrogen Peroxide (7722-84-1). SARA Reportable Quantity – 1000 lbs. SARA Threshold Planning Quantity – 1000 lbs.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute

New Jersey Right to Know: Hydrogen Peroxide (7722-84-1)

New Jersey Right to Know – Special Health Hazard Substances: Hydrogen Peroxide (7722-84-1)

Pennsylvania Right to Know: Hydrogen Peroxide (7722-84-1), Water (7732-18-5)

Pennsylvania Right to Know – Environmentally Hazardous Substance(s): Hydrogen Peroxide (7722-84-1)

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document