

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier SULFURIC ACID 66 BE NSF** 

Other means of identification None.

Recommended use ALL PROPER AND LEGAL PURPOSES

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Brenntag Mid-South, Inc. **Address** 1405 Highway 136, West

Henderson, KY 42420

270-830-1222 Telephone Not available. E-mail

**Emergency phone number** 800-424-9300 CHEMTREC

2. Hazard(s) identification

Physical hazards Not classified

Health hazards Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information % of the mixture consists of component(s) of unknown acute oral toxicity. % of the mixture

consists of component(s) of unknown acute dermal toxicity. % of the mixture consists of

component(s) of unknown acute inhalation toxicity.

### 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SULFURIC ACID		7664-93-9	93
Other components below r	reportable levels		7

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting

equipment/instructions

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Respiratory protection is "only required" when sprays are present in the air.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value
SULPHURIC ACID	PEL	1 mg/m3

Material name: SULFURIC ACID 66 BE NSF 239225 Version #: 24 Revision date: 03-26-2018 Issue date: 06-05-2015

Components	Air Contaminants (29 CFR 1910.1000) Type	Value	
SULFURIC ACID (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Limit Valu Material	ues Type	Value	Form
SULPHURIC ACID	TWA	0.2 mg/m3	Thoracic fraction.
Components	Туре	Value	Form
SULFURIC ACID (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide to Che	emical Hazards		
Material	Туре	Value	
SULPHURIC ACID	TWA	1 mg/m3	
Components	Туре	Value	
SULFURIC ACID (CAS 7664-93-9)	TWA	1 mg/m3	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

The following are recommendations for Personnel Protective Equipment (PPE). The employer/user of this product must perform a Hazard Assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving potential exposure to this product.

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.

Color CLEAR PALE YELLOW

Odor ODORLESS
Odor threshold Not available.

**pH** 0

Melting point/freezing point -31 °F (-35 °C)

Initial boiling point and boiling

range

530.06 °F (276.7 °C) estimated

554 °F (290 °C)

Flash point

Evaporation rate

Flammability (solid, gas)

Not available.

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Explosive limit - upper (%)

Not available. Not available.

Vapor pressure

0.000008 kPa at 25 °C

0.000008 kPa at 25 °C

3.4 Vapor density

Relative density Not available.

Solubility(ies)

Miscible

**Partition coefficient** 

Solubility (water)

Not available.

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. Not available. Viscosity

Other information

Density 15.31 lbs/gal 21 mPa.s Dynamic viscosity Dynamic viscosity 77 °F (25 °C)

temperature

**Explosive properties** Not explosive. H2-04-S Molecular formula Molecular weight 98.08 g/mol Not oxidizing. Oxidizing properties 7 % estimated Percent volatile

1.84 Specific gravity

#### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Possibility of hazardous Material is stable under normal conditions. Hazardous polymerization does not occur.

reactions

Contact with incompatible materials. Conditions to avoid

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

### Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Not known. Acute toxicity

Skin corrosion/irritation Causes severe skin burns and eye damage.

SDS US

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
SULFURIC ACID (CA	S 7664-93-9)		
Aquatic			
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 hours
	LC50	Aesop shrimp (Pandalus montagui)	42.5 mg/l, 48 hours
		Cockle (Cerastoderma edule)	200 - 500 mg/l, 48 hours
		Common shrimp, sand shrimp (Crangon crangon)	70 - 80 mg/l, 48 hours
		Green or European shore crab (Carcinus maenas)	70 - 80 mg/l, 48 hours
Fish	LC50	Starry, european flounder (Platichthys flesus)	100 - 330 mg/l, 48 hours
		Western mosquitofish (Gambusia affinis)	42 mg/l, 24 hours
			42 mg/l, 48 hours
			42 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

Material name: SULFURIC ACID 66 BE NSF

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

239225 Version #: 24 Revision date: 03-26-2018 Issue date: 06-05-2015

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

**UN number** UN1830

SULFURIC ACID UN proper shipping name

Transport hazard class(es)

8 Class Subsidiary risk Packing group П

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ERG number

DOT information on packaging may be different from that listed.

**IATA** 

UN1830 **UN** number

UN proper shipping name

SULFURIC ACID

Transport hazard class(es)

8 Class Subsidiary risk Packing group Ш **Environmental hazards** No. **ERG Code** 137

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN** number UN1830

UN proper shipping name SULPHURIC ACID with more than 51% acid solution (SULFURIC ACID)

Transport hazard class(es)

8 Class Subsidiary risk П Packing group **Environmental hazards** 

No. Marine pollutant F-A. S-B **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT; IATA; IMDG



### 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

SULFURIC ACID (CAS 7664-93-9) Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS 7664-93-9) 1000 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Material name: SULFURIC ACID 66 BE NSF

239225 Version #: 24 Revision date: 03-26-2018 Issue date: 06-05-2015

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name **CAS** number **Threshold** Threshold **Threshold** Reportable quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds)

SULFURIC ACID 7664-93-9 1000 1000

Skin corrosion or irritation Classified hazard

Serious eye damage or eye irritation categories

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. SULFURIC ACID 7664-93-9 93

# Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR

Hazardous substance

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

#### Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

SULFURIC ACID (CAS 7664-93-9)

### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9) 20 %WV

**DEA Exempt Chemical Mixtures Code Number** 

SULFURIC ACID (CAS 7664-93-9) 6552

Food and Drug Total food additive Direct food additive Administration (FDA) GRAS food additive

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Еигоре	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### 16. Other information, including date of preparation or last revision

Issue date 06-05-2015 Revision date 03-26-2018

Version# 24

239225 Version #: 24 Revision date: 03-26-2018 Issue date: 06-05-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Product #: 913215 From: BRENNTAG MID-SOUTH INC. To: Thursday, August 02, 2018

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 3

Flammability: 0 Instability: 1

**Disclaimer** While Brenntag believes the information contained herein to be accurate, Brenntag makes no

representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with applicable federal, state, and local law. This SDS shall not in any way limit or preclude the operation and effect of any of the provisions of

Brenntag's terms and conditions of sale.

Revision information Regulatory information: California Proposition 65

Material name: SULFURIC ACID 66 BE NSF

239225 Version #: 24 Revision date: 03-26-2018 Issue date: 06-05-2015 8 / 8