

Page 1/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

#### 1 Identification

- · Product identifier
- · Trade name: Colorsol x
- · Application of the substance / the mixture

Dry-cleaning

Spotting agent, stain remover

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3

65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

order@seitz24.com

www.seitz24.com

· Information department:

CHEM-TEL Inc.

1305 North Florida Ave

Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924 (24-hour Service)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labeling: benzenesulfonic acid, C10-13-alkyl derivs., sodium salts stearylamine, ethoxylated

(Contd. on page 2)



Page 2/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Com	ponents:	
CAS: 34590-94-8	dipropylene glycol monomethylether	25 – 50%
CAS: 68411-30-3	benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	< 15%
CAS: 623-84-7	propane-1,2-diyl diacetate	< 10%
CAS: 26635-92-7	stearylamine, ethoxylated	< 10%
CAS: 68551-17-7	alkanes, C10-13-iso-	< 2%

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### **4 First-aid measures**

- · Description of first aid measures
- General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

Eye damage

Skin irritation

· Indication of any immediate medical attention and special treatment needed Symptomatic treatment

LIC



Page 3/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 2)

#### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents No further relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)



Page 4/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 3)

Protect from frost.

Time of storage: max. 18 month • Specific end use(s) Dry-cleaning

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### CAS: 34590-94-8 dipropylene glycol monomethylether

PEL Long-term value: 600 mg/m³, 100 ppm

Skin

REL Short-term value: 900 mg/m³, 150 ppm

Long-term value: 600 mg/m³, 100 ppm

Skin

TLV Short-term value: 909 mg/m³, 150 ppm

Long-term value: 606 mg/m³, 100 ppm

Skir

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

#### · Breathing equipment:

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

#### · Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Page 5/11

#### **Safety Data Sheet** acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

Color:

· Odor:

(Contd. of page 4)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles. · Body protection: Protective work clothing.

9 Physical and chemical	properties
Information on basic physic General Information	cal and chemical properties
· Appearance:	
Form:	Fluid

Yellow

Product specific

· Odor threshold: No further relevant information available. · pH-value (100 g/l) at 20 °C (68 °F):

· Change in condition Melting point/Melting range: undetermined Boiling point/Boiling range: undetermined · Flash point: Not applicable

· Flammability (solid, gaseous) No further relevant information available. · Ignition temperature: No further relevant information available.

· Decomposition temperature: No further relevant information available.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits: Lower:

No further relevant information available. Upper: No further relevant information available. · Oxidizing properties No further relevant information available.

· Vapor pressure: No further relevant information available.

· Density at 20 °C (68 °F): ~ 1,01 g/cm3 (ISO 2811) · Relative density No further relevant information available. · Vapor density No further relevant information available. · Evaporation rate No further relevant information available.

· Solubility in / Miscibility with

Fully miscible

· Partition coefficient (n-octanol/water): No further relevant information available.

· Viscosity:

dvnamic: No further relevant information available. kinematic: No further relevant information available.

(Contd. on page 6)



Page 6/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· Acute tox	Acute toxicity		
· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	> 6,667 mg/kg (rat)	
Dermal	LD50	> 8,889 mg/kg	
CAS: 345	CAS: 34590-94-8 dipropylene glycol monomethylether		
Oral	LD50	> 5,000 mg/kg (rat)	
Dermal	LD50	9,500 mg/kg (rabbit)	
Inhalative	LC50 (7h)	3.35 mg/l (rat)	
CAS: 684	CAS: 68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts		
Oral	LD50	1,080 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rat)	
CAS: 623	CAS: 623-84-7 propane-1,2-diyl diacetate		
Oral	LD50	> 5,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
CAS: 266	CAS: 26635-92-7 stearylamine, ethoxylated		
Oral	LD50	> 2,000 mg/kg (rat)	
CAS: 68551-17-7 alkanes, C10-13-iso-			
Oral	LD50	> 5,000 mg/kg (rat)	
Dermal	LD50	> 5,000 mg/kg (rabbit)	

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/11

#### **Safety Data Sheet** acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 6)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure
  Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### 12 Ecological information

· Toxicity

· Aquatic toxicity:			
CAS: 345	CAS: 34590-94-8 dipropylene glycol monomethylether		
EC50	> 969 mg/l (Aquatic plants, algae) (96 h;Scenedesmus capricornutum)		
	1,919 mg/l (Aquatic invertebrates) (48 h; Daphnia)		
LC50	> 10,000 mg/l (Fish) (96 h; Pimephales promelas)		
CAS: 623	CAS: 623-84-7 propane-1,2-diyl diacetate		
EC50 (3h	) > 1,000 mg/l (Belebtschlamm) (OECD 209)		
LC50	82 mg/l (Fish) (96 h; Poecilia reticulata)		
	237 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)		
ErC50	273 mg/l (Aquatic plants, algae) (72 h; Pseudokirchneriella subcapitata)		

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 8)



Page 8/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 7)

- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

4 Transport information	
· UN-Number	
· DOT	Void
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT	Void
· ADR	3082 Environmentally hazardous substances, liquic
	n.o.s. (stearylamine, ethoxylated)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (stearylamine, ethoxylated), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
1010	LIQUID, N.O.S. (stearylamine, ethoxylated)
· Transport hazard class(es)	
· DOT	
· Class	Void
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9

(Contd. on page 9)



Page 9/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

	(Contd. of page
· IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
<ul><li>Packing group</li><li>DOT</li><li>ADR, IMDG, IATA</li></ul>	Void III
<ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> <li>Special marking (ADR):</li> <li>Special marking (IATA):</li> </ul>	Product contains environmentally hazardous substances: stearylamine, ethoxylated Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG     Limited quantities (LQ)     Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (STEARYLAMINE, ETHOXYLATED), 9, III

### 15 Regulatory information

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)



Page 10/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

		(0, (1, (, , , , ),
. Section 313 (sne	cific toxic chemical listings):	(Contd. of page 9)
CAS: 1336-21-6		
	stances Control Act):	
All ingredients are	•	
	notou.	
· Proposition 65		
None of the ingred	n to cause cancer:	
	n to cause reproductive toxicity for females:	
None of the ingred		
	n to cause reproductive toxicity for males:	
None of the ingred		
	n to cause developmental toxicity:	
None of the ingred	lients is listed.	
· New Jersey Righ		
	dipropylene glycol monomethylether	
CAS: 1336-21-6	ammonia	
	ial Hazardous Substance List:	
CAS: 1336-21-6	ammonia	CO
· Pennsylvania Riç	ht-to-Know List:	
	dipropylene glycol monomethylether	
CAS: 1336-21-6	ammonia	
· Pennsylvania Sp	ecial Hazardous Substance List:	
CAS: 1336-21-6	ammonia	E
· EPA (Environme	ntal Protection Agency)	
None of the ingred	lients is listed.	
· TLV (Threshold L	imit Value established by ACGIH)	
None of the ingred	lients is listed.	
· NIOSH-Ca (Natio	nal Institute for Occupational Safety and Health)	
None of the ingred	· · · · · · · · · · · · · · · · · · ·	
· National regulation	ons	

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

• Other information: The product has been designed for professional use only.



Page 11/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2018 Reviewed on 04/17/2018

Trade name: Colorsol x

(Contd. of page 10)

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 04/17/2018 / 3
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· \* Data compared to the previous version altered.

- 119