

Printing date 11/28/2016 Reviewed on 11/28/2016

## 1 Identification

- · Product identifier
- · Trade name: EnviClin Touch x
- · Application of the substance / the mixture

Dry-cleaning Detergent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3 65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

order@seitz24.com

www.seitz24.com

· Information department:

CHEM-TEL Inc. 1305 North Florida Ave Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

isotridecanol, ethoxylated

· Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves / eye protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

· Other hazards

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Components:			
CAS: 69011-36-5	isotridecanol, ethoxylated	50 - 75%	
CAS: 157905-74-3	ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsatd. fatty acids, Me sulfates (salts)	< 20%	
CAS: 67-63-0	2-propanol	< 2.5%	

· Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
- General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

Eye damage

Skin irritation

· Indication of any immediate medical attention and special treatment needed Symptomatic treatment

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 2)

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 24 month • Specific end use(s) Dry-cleaning

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 3)

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	·		
CAS: 67-63-0 2-propanol			
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm		
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm		
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI		
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm		
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm		
· Ingredients with biological limit values:			
CAS: 67-63-0 2-propanol			
BEI (USA) 40 mg/L			
Medium: urine			

- Parameter: Acetone (background, nonspecific)

   Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Time: end of shift at end of workweek

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

#### · Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

## Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 4)

Eye protection: Tightly sealed goggles.Body protection: Protective work clothing.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Color: Light yellow
• Odor: Product specific

• Odor threshold: No further relevant information available.

• pH-value (100 g/l) at 20 °C (68 °F):  $\sim 7.5$ 

· Change in condition

Melting point/Melting range: not applicable Boiling point/Boiling range: undetermined

• Flash point: 65 °C (149 °F) (ASTM D93 c.c)

· Flammability (solid, gaseous) No further relevant information available.

• **Ignition temperature:** No further relevant information available.

• **Decomposition temperature:** No further relevant information available.

Auto igniting: Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: No further relevant information available.
Upper: No further relevant information available.
Oxidizing properties No further relevant information available.

· **Vapor pressure:** No further relevant information available.

• Density at 20 °C (68 °F): ~ 0.99 g/cm3 (ISO 2811)

Relative density
 Vapor density
 Evaporation rate
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

· Solubility in / Miscibility with

Water: Emulsifiable

· Partition coefficient (n-octanol/water): No further relevant information available.

· Viscosity:

dynamic:No further relevant information available.kinematic:No further relevant information available.Other informationNo further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Stable under normal ambient conditions.

(Contd. on page 6)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 5)

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
CAS: 69011-36-5 isotridecanol, ethoxylated				
Oral	LD50	> 2000 mg/kg (rat)		
Dermal		> 2000 mg/kg (rabbit)		
CAS: 1579	CAS: 157905-74-3 ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsatd. fatty acids, Me sulfates (salts)			
Oral	LD50	4480 mg/kg (rat) (OECD 401)		
Dermal	LD50	> 2000 mg/kg (rat) (OECD 402)		
CAS: 67-63-0 2-propanol				
Oral	LD50	5840 mg/kg (rat) (OECD 401)		
Dermal	LD50	12800 mg/kg (rabbit) (OECD 402)		
Inhalative	LC50	> 25 mg/l (rat) (6h, OECD 403)		

- on the skin: Causes skin irritation.
- · on the eye: Causes serious eye damage.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories

## · IARC (International Agency for Research on Cancer)

CAS: 67-63-0 2-propanol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

Toxicity

· Aquatic toxicity:

CAS: 69011-36-5 isotridecanol, ethoxylated

EC50 > 1 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus; OECD 201)

> 1 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)

LC50 > 1 mg/l (Fish) (96 h; Cyprinus carprio; OECD 203)

NOEC 1.36 mg/l (Aquatic invertebrates) (21 d; Daphnia magna)

(Contd. on page 7)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

CAS: 67-63-0 2-propanol

(Contd. of page 6)

OAG. 07-03-0 2-proparior					
EC50	> 100 mg/l (Aquatic plants, algae) (72 h; Scenedesmus subspicatus)				
	9714 mg/l (Aquatic invertebrates) (24 h; Daphnia magna)				

LC50 9640 mg/l (Fish) (96 h; Pimephales promelas)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

#### 14 Transport information

· UN-Number	
· DOT	NA1993
· ADR, ADN, IMDG, IATA	Void
<u> </u>	•

· UN proper shipping name

DOT COMBUSTIBLE LIQUID, N.O.S (Isopropanol)

· ADR, ADN, IMDG, IATA Void

- · Transport hazard class(es)
- · DOT



· Class 3 Combustible liquids

· Label

(Contd. on page 8)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

		(Contd. of page 7
· ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT	III	
· ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.	
· Transport/Additional information:		
· DOT		
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L	
· UN "Model Regulation":	Void	

## 15 Regulatory information

- · Canadian substance lists
- · Canadian domestic substance list (DSL):

All ingredients are listed.

· Canadian ingredient disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian ingredient disclosure list (limit 1%):

CAS: 67-63-0 2-propanol

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

CAS: 67-63-0 2-propanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)



Printing date 11/28/2016 Reviewed on 11/28/2016

Trade name: EnviClin Touch x

(Contd. of page 8) · New Jersey Right-to-Know List: CAS: 67-63-0 2-propanol New Jersey Special Hazardous Substance List: CAS: 67-63-0 2-propanol F3 Pennsylvania Right-to-Know List: All ingredients are listed. · Pennsylvania Special Hazardous Substance List: CAS: 67-63-0 2-propanol Ε · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) CAS: 67-63-0 2-propanol Α4 · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 11/28/2016 / 3
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· \* Data compared to the previous version altered.