

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/08/2017

1 Identification

Reviewed on 02/08/2017

· Product identifier · Trade name: Hydroclin · Application of the substance / the mixture Dry-cleaning Detergent · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SEITZ GmbH Gutenbergstrasse 1 - 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 order@seitz24.com www.seitz24.com · Information department: CHEM-TEL Inc. 1305 North Florida Ave Tampa Florida 33602 · Emergency telephone number: 1-800-255-3924 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: alkanes, C10-13-iso-(Contd. on page 2)

US





Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

		(Contd. of page 1)
docusate sodium		
poly(oxy-1,2-etha	nediyl), .alphahydroomegahydroxy-, mono-C12-14-alkylethers	, phosphates
isotridecanol, eth	oxylated	
 Hazard statemer 	nts	
H315 Causes ski	n irritation.	
H318 Causes ser	rious eye damage.	
H304 May be fata	al if swallowed and enters airways.	
Precautionary st	tatements	
P280	Wear protective gloves / eye protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Remo	ve contact
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P331	Do NOT induce vomiting.	
 Other hazards 		
· Results of PBT a	and vPvB assessment	
· PBT: Not applica	ble.	
· vPvB: Not applic	able.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Components:		
	alkanes, C10-13-iso-	25 - 50%
	docusate sodium	< 15%
	dipropylene glycol monomethylether	< 10%
	poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono- C12-14-alkylethers, phosphates	< 10%
CAS: 69011-36-5	isotridecanol, ethoxylated	< 10%
CAS: 78-96-6	1-aminopropan-2-ol	< 2.5%
CAS: 57-55-6	1,2-propanediol	< 1%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

⁻US



acc. to OSHA HCS

Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

(Contd. of page 2)

- Information for doctor
- Most important symptoms and effects, both acute and delayed Eye damage

Skin irritation

If swallowed or in case of vomiting, danger of entering the lungs

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

Additional information
 Cool endangered receptacles with water spray.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Do not breathe gases/ vapours.
 Avoid contact with eyes and skin.
 Keep away from ignition sources
 Environmental precautions: Do not allow product to reach sewage system or any water course.
 Matheda and material for containment and elegning up
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling
- Precautions for safe handling Keep away from heat and direct sunlight.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Avoid contact with eyes and skin.

(Contd. on page 4)

The fresher company.

Safety Data Sheet

acc. to OSHA HCS



Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions: Protect from heat and direct sunlight. Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Protect from frost. Time of storage: max. 24 month
Specific end use(s) Dry-cleaning

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

At this time, the other constituents have no known exposure limits.		
94-8 dipropylene glycol monomethylether		
Long-term value: 600 mg/m³, 100 ppm Skin		
Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin		
Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin		
Short-term value: 150 ppm Long-term value: 100 ppm Skin		
Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm		
61,2-propanediol		
Long-term value: 10 mg/m ³		
Long-term value: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only		
formation: The lists that were valid during the creation were used as basis.		
ntrols tective equipment ective and hygienic measures cautionary measures for handling chemicals should be followed. om foodstuffs, beverages and feed. ink, smoke or sniff while working. emove all soiled and contaminated clothing		

(Contd. on page 5)

US

Safety Data Sheet acc. to OSHA HCS

The fresher company.

Printing date 02/08/2017

Reviewed on 02/08/2017

	(Contd. of page
Wash hands before breaks and at the	
Avoid contact with the eyes and skin.	
Do not inhale gases / fumes / aerosols	S.
Breathing equipment:	vice in case of insufficient ventilation (exceeding the
workplace limit values, formation of ae	
Protection of hands:	,
Protective gloves.	
preparation.	able and resistant to the product/ the substance/ the
Material of gloves	
Nitrile rubber, NBR	
of quality and varies from manufacture	bes not only depend on the material, but also on further mark or to manufacturer. As the product is a preparation of severa e material can not be calculated in advance and has
Penetration time of glove material	
The exact break trough time has to be	found out by the manufacturer of the protective gloves and
has to be observed.	
Eye protection: Tightly sealed goggle Body protection: Protective work clot	
Physical and chemical proper	
Information on basic physical and c General Information	
Information on basic physical and c General Information Appearance: Form:	hemical properties Fluid
Information on basic physical and c General Information Appearance: Form: Color:	Hemical properties Fluid Light yellow
Information on basic physical and c General Information Appearance: Form: Color: Odor:	Hemical properties Fluid Light yellow Product specific
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold:	Hemical properties Fluid Light yellow Product specific No further relevant information available.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F):	Hemical properties Fluid Light yellow Product specific
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition	Hemical properties Fluid Light yellow Product specific No further relevant information available.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F):	Fluid Light yellow Product specific No further relevant information available. ~ 7.3
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719)
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous) Ignition temperature:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719) No further relevant information available.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous)	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719) No further relevant information available. No further relevant information available.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719) No further relevant information available.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Melting range: Flash point: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719) No further relevant information available. Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value (100 g/l) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Fluid Light yellow Product specific No further relevant information available. ~ 7.3 not applicable undetermined > 95 °C (> 203 °F) (EN 22719) No further relevant information available. Product is not selfigniting. Product is not explosive. However, formation of explosive

US -

Safety Data Sheet acc. to OSHA HCS

Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

		(Contd. of page 5)
· Vapor pressure:	No further relevant information available.	
· Density at 20 °C (68 °F):	~ 0.91 g/cm3 (ISO 2811)	
· Relative density	No further relevant information available.	
· Vapor density	No further relevant information available.	
· Evaporation rate	No further relevant information available.	
 Solubility in / Miscibility with Water: 	Fully miscible	
· Partition coefficient (n-octanol/water): No further relevant information available.		
· Viscosity:		
dynamic:	No further relevant information available.	
kinematic at 40 °C (104 °F):	< 20.5 mm/s²	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents

· Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

· Information on toxicological effects

		are relevant for classification:
CAS: 685	51-17-7 alk	anes, C10-13-iso-
Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 5000 mg/kg (rabbit)
CAS: 577	-11-7 docu	sate sodium
Oral	LD50	> 3000 mg/kg (rat)
Dermal	LD50	> 10000 mg/kg (rabbit)
CAS: 345	90-94-8 dip	ropylene glycol monomethylether
Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	9500 mg/kg (rabbit)
Inhalative	LC50 (7h)	3.35 mg/l (rat)
CAS: 685	11-37-5 pol	y(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-
	alk	ylethers, phosphates
Oral	LD50	> 2000 mg/kg (rat)
CAS: 69011-36-5 isotridecanol, ethoxylated		
Oral	LD50	> 5000 mg/kg (rat) (OECD 401)



US

Safety Data Sheet acc. to OSHA HCS



Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

Densi		(Contd. of page (contd. of pag
Dermal	LD50	> 2000 - 5000 mg/kg (rat) (OECD 402)
Inhalativ		> 1.6 mg/l (rat) (4 h; OECD 403)
		nopropan-2-ol
Oral	LD50	4260 mg/kg (rat)
Dermal	LD50	1851 mg/kg (rabbit)
	'-55-6 1,2-p	•
Oral	LD50	22000 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)
• on the e • Sensitiz • Addition	eye: Causes ation: Base nal toxicolo	s skin irritation. serious eye damage. d on available data, the classification criteria are not met. gical information:
	genic cateo	Agency for Research on Cancer)
•	the ingredie	
		cology Program)
None of	the ingredie	nts is listed.
· OSHA-C	a (Occupa	tional Safety & Health Administration)
NI f	the ingredie	nts is listed.
<mark>Ecoloç</mark> • Toxicity	gical infor	mation
Ecolog • Toxicity • Aquatic	jical infor	
Ecolog • Toxicity • Aquatic CAS: 34	<mark>jical infor</mark> toxicity: 1590-94-8 di	propylene glycol monomethylether
Ecolog Toxicity Aquatic CAS: 34 EC50 >	yical infor toxicity: 1 590-94-8 d i 969 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum)
Ecolog • Toxicity • Aquatic CAS: 34 EC50 > 1	jical infor toxicity: 1 590-94-8 d i 969 mg/l (A 919 mg/l (Ad	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia)
Ecolog Toxicity Aquatic CAS: 34 EC50 > 1 LC50 >	jical infor toxicity: 1 590-94-8 d i 969 mg/l (A 919 mg/l (A 10000 mg/l	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas)
Ecoloc • Toxicity • Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68	jical infor toxicity: 5 90-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 3 511-37-5 p al	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates
Ecsolog • Toxicity • Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68 EC50 0	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 5111-37-5 p al .1 - 1 mg/l (<i>i</i>	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h)
Ecolog → Toxicity → Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68 EC50 0 LC50 0	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 511-37-5 po al .1 - 1 mg/l (<i>j</i> .1 - 1 mg/l (<i>j</i>	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h)
Ecsolog • Toxicity • Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68 EC50 0 LC50 0 CAS: 69	gical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 5511-37-5 pc al .1 - 1 mg/l (f 011-36-5 is	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated
Ecsolog • Toxicity • Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68 EC50 0 LC50 0 CAS: 69	gical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 5511-37-5 pc al .1 - 1 mg/l (f 011-36-5 is	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h)
Ecolog Toxicity Aquatic CAS: 34 EC50 > 1 LC50 > CAS: 68 EC50 0 LC50 0 LC50 0 CAS: 69 LC50 >	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 3511-37-5 po al .1 - 1 mg/l (<i>f</i> .1 - 1 mg/l (f 0011-36-5 is 1 - 10 mg/l	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated
Ecolog Toxicity Aquatic CAS: 34 EC50 1 LC50 CAS: 68 EC50 0 LC50 0 LC50 0 CAS: 69 LC50 EC20	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 511-37-5 p al .1 - 1 mg/l (<i>I</i> .1 - 1 mg/l (<i>I</i> 011-36-5 is 1 - 10 mg/l .979 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) Otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203)
EC50 0 CAS: 34 EC50 3 LC50 3 CAS: 68 EC50 0 LC50 0 CAS: 69 LC50 3 EC20 0 1	gical infor toxicity: 1590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 5511-37-5 pd al 5511-37-5 pd al 1 - 1 mg/l (<i>f</i> 0011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (F	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) Otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR)
Ecolog Toxicity Aquatic CAS: 34 EC50 1 LC50 CAS: 68 EC50 0 CAS: 69 LC50 EC20 0 CAS: 69 LC50 LC50 0 CAS: 0 1 0 1 0 1 0 1 0 1 0	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 3511-37-5 po al .1 - 1 mg/l (<i>f</i> 011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR) ish) (30 d; Pimephales promelas; QSAR)
Ecolog Toxicity Aquatic CAS: 34 EC50 1 LC50 CAS: 68 EC50 0 CAS: 69 LC50 EC20 CAS: 69 LC50 CAS: 69 LC50 CAS: 78	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 511-37-5 pa 10011-36-5 is 1 - 1 mg/l (A 011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (A .74 mg/l (Aq -96-6 1-am	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR) ish) (30 d; Pimephales promelas; QSAR) uatic invertebrates) (21d; Daphnia magna; QSAR)
Ecolog • Toxicity • Aquatic CAS: 34 EC50 1 LC50 CAS: 68 EC50 0 LC50 EC50 0 LC50 0 CAS: 69 LC50 EC20 0 CAS: 78 EC50 3	Jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 5511-37-5 po al .1 - 1 mg/l (f 0011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (A .74 mg/l (A .96-6 1-ami 2.7 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) oly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR) ish) (30 d; Pimephales promelas; QSAR) uatic invertebrates) (21d; Daphnia magna; QSAR)
Ecolog Toxicity Aquatic CAS: 34 EC50 LC50 CAS: 68 EC50 CAS: 68 EC50 EC50 EC50 CAS: 68 EC50 EC20 0 CAS: 78 EC50 1 0 CAS: 78 EC50 1 0 CAS: 78	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 511-37-5 pa al .1 - 1 mg/l (<i>f</i> 011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (A .74 mg/l (Aq 3-96-6 1-ami 2.7 mg/l (Aq 08.8 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) Otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR) ish) (30 d; Pimephales promelas; QSAR) uatic invertebrates) (21d; Daphnia magna; QSAR) inopropan-2-ol uatic plants, algae) (Scenedesmus subspicatus; 72h)
Ecolog Toxicity Aquatic CAS: 34 EC50 1 LC50 CAS: 68 EC50 LC50 EC50 0 CAS: 68 EC50 EC50 CAS: 69 LC50 EC50 1 0 CAS: 78 EC50 1 LC50 1 0 CAS: 78 EC50 3 1 LC50	jical infor toxicity: 590-94-8 di 969 mg/l (A 919 mg/l (A 10000 mg/l 511-37-5 pa al .1 - 1 mg/l (<i>f</i> 011-36-5 is 1 - 10 mg/l .979 mg/l (A .097 mg/l (A .74 mg/l (Aq 3-96-6 1-ami 2.7 mg/l (Aq 08.8 mg/l (A	propylene glycol monomethylether quatic plants, algae) (96 h;Scenedesmus capricornutum) quatic invertebrates) (48 h; Daphnia) (Fish) (96 h; Pimephales promelas) Dly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14- kylethers, phosphates Aquatic invertebrates) (Daphnia magna; 48h) Fish) (Brachydanio rerio; 96h) otridecanol, ethoxylated (Fish) (96 h; Brachydanio rerio; OECD 203) quatic plants, algae) (72 h; Desmodesmus subspicatus; QSAR) ish) (30 d; Pimephales promelas; QSAR) uatic invertebrates) (21d; Daphnia magna; QSAR) inopropan-2-ol uatic plants, algae) (Scenedesmus subspicatus; 72h) quatic invertebrates) (Daphnia magna; 48h) g/l (Fish) (Leuciscus idus; 96h)

Safety Data Sheet acc. to OSHA HCS

SEIT2 The fresher company.

Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

(Contd. of page 7)

> 100 mg/l (Aquatic invertebrates) (48 h; Daphnia)

LC50 40613 mg/l (Fish) (96 h; Oncorhynchus mykiss)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
 · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA 	Void
 Transport hazard class(es) 	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
 Packing group DOT, ADR, IMDG, IATA 	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page 9)



(Contd. of page 8)

Reviewed on 02/08/2017

Safety Data Sheet acc. to OSHA HCS

Printing date 02/08/2017

Trade name: Hydroclin

· UN "Model Regulation":

Void

15 Regulatory information

- All ingredients are listed.
- · Canadian ingredient disclosure list (limit 0.1%):
- None of the ingredients is listed.
- · Canadian ingredient disclosure list (limit 1%):
- docusate sodium CAS: 577-11-7
- CAS: 34590-94-8 dipropylene glycol monomethylether CAS: 78-96-6 1-aminopropan-2-ol
- · Sara
- · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (specific toxic chemical listings): None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · New Jersey Right-to-Know List:
- CAS: 34590-94-8 dipropylene glycol monomethylether
- 1-aminopropan-2-ol CAS: 78-96-6
- CAS: 57-55-6 1,2-propanediol
- · New Jersey Special Hazardous Substance List: None of the ingredients is listed.
- · Pennsylvania Right-to-Know List:
- CAS: 34590-94-8 dipropylene glycol monomethylether
- 1-aminopropan-2-ol CAS: 78-96-6
- CAS: 57-55-6 1,2-propanediol
- · Pennsylvania Special Hazardous Substance List:
 - None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/08/2017

Reviewed on 02/08/2017

Trade name: Hydroclin

(Contd. of page 9)

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 02/08/2017 / 2

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1

• * Data compared to the previous version altered.



