

## **Industrial Chemicals Inc.**

2042 Montreat Drive - PO Box 660688 - Birmingham, Alabama 35216

March 23, 2020

Attention: Safety Data Sheet Coordinator

Dear Customer:

Enclosed is the Safety Data Sheet for BP Hand Sania

Enclosed is the Safety Data Sheet for BP Hand Sanitizer 73%, Gel dated February 28, 2020 that provides important health and safety information for this recently purchased product. Since you may redirect the product to more than one area within your location or to another facility, please be sure this information is available to all persons handling and/or using the material.

This Safety Data Sheet has either been updated since you last received it or is for a product not previously purchased from Industrial Chemicals Inc. Please consider it the current version to replace any previous version you may have received. In the event any revisions are made to the Safety Data Sheet, a revised copy will be forwarded for the next purchase.

This product contains a chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372. Please refer to the Material Safety Data Sheet for a list of the regulated substances.

The distribution of these safety data sheets is part of our continuing Product Stewardship Program of providing information and updating our customers. The regulations promulgated by OSHA for Hazard Communication, 29 CFR 1910.1200 have been considered in the distribution of this Safety Data Sheet.

Should you have any questions please call 205-823-7330 or send email to Regulatory@industrialchem.com.

Thank you, Industrial Chemicals Inc.

If you prefer to receive safety data sheets by email please provide the company name, contact name, email address and phone number and return this page by fax to 205-278-5822 or email to Regulatory@industrialchem.com

Contact Name	Phone Number	Email Address	
Company Name			102311



## 2016 EMERGENCY RESPONSE GUIDE SHEET

#### POTENTIAL HAZARDS

#### FIRE OR EXPLOSION

- · HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.
- · Vapors may form explosive mixtures with air.
- · Vapors may travel to source of ignition and flash back.
- · Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).

**Guide Number: 128** 

- · Vapor explosion hazard indoors, outdoors or in sewers.
- Those substances designated with a (P) may polymerize explosively when heated or involved in a fire.
- · Runoff to sewer may create fire or explosion hazard.
- · Containers may explode when heated.
- · Many liquids are lighter than water.
- · Substance may be transported hot.
- . For hybrid vehicles, GUIDE 147 (lithium ion batteries) or GUIDE 138 (sodium batteries) should also be consulted.
- · If molten aluminum is involved, refer to GUIDE 169.

#### HEALTH

- · Inhalation or contact with material may irritate or burn skin and eyes.
- · Fire may produce irritating, corrosive and/or toxic gases.
- · Vapors may cause dizziness or suffocation.
- · Runoff from fire control or dilution water may cause pollution.

#### **PUBLIC SAFETY**

- CALL EMERGENCY RESPONSE Telephone Number on Shipping Paper first. If Shipping Paper not available or no answer, refer to appropriate telephone number listed on the inside back cover.
- · As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.
- · Keep unauthorized personnel away.
- · Stay upwind, uphill and/or upstream.
- · Ventilate closed spaces before entering.

#### PROTECTIVE CLOTHING

- · Wear positive pressure self-contained breathing apparatus (SCBA).
- · Structural firefighters' protective clothing will only provide limited protection.

#### **EVACUATION**

#### Large Spill

· Consider initial downwind evacuation for at least 300 meters (1000 feet).

#### Fire

• If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

In Canada, an Emergency Response Assistance Plan (ERAP) may be required for this product. Please consult the shipping document and/or the Canada and United States National Response Centers reference document.

### **EMERGENCY RESPONSE**

### **FIRE**

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

CAUTION: For mixtures containing alcohol or polar solvent, alcohol-resistant foam may be more effective.

#### Small Fire

· Dry chemical, CO2, water spray or regular foam.

#### Large Fire

- · Water spray, fog or regular foam.
- Do not use straight streams.
- · Move containers from fire area if you can do it without risk.

## 2016 EMERGENCY RESPONSE GUIDE SHEET

Fire involving Tanks or Car/Trailer Loads

- · Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
- · Cool containers with flooding quantities of water until well after fire is out.
- · Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- · ALWAYS stay away from tanks engulfed in fire.
- · For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

**Guide Number: 128** 

#### SPILL OR LEAK

- · ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- · All equipment used when handling the product must be grounded.
- · Do not touch or walk through spilled material.
- · Stop leak if you can do it without risk.
- · Prevent entry into waterways, sewers, basements or confined areas.
- · A vapor-suppressing foam may be used to reduce vapors.
- · Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
- · Use clean, non-sparking tools to collect absorbed material.

#### Large Spill

- · Dike far ahead of liquid spill for later disposal.
- · Water spray may reduce vapor, but may not prevent ignition in closed spaces.

#### FIRST AID

- · Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
- Move victim to fresh air.
- · Call 911 or emergency medical service.
- · Give artificial respiration if victim is not breathing.
- · Administer oxygen if breathing is difficult.
- · Remove and isolate contaminated clothing and shoes.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- · Wash skin with soap and water.
- · In case of burns, immediately cool affected skin for as long as possible with cold water. Do not remove clothing if adhering to skin.
- · Keep victim calm and warm.



## acc. to OSHA HCS

Printing date 02/28/2020

Reviewed on 2/18/2020

### 1 Identification

· Product identifier

· Trade name: BP Hand Sanitizer 73%

· Article number:

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

BLENDPACK, Inc. 3730 Old Tasso RD NE

Cleveland, TN 37312

· Information department: Technical Services: 423-693-0801

· Emergency telephone number: CHEMTREC:

800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





- Signal word Danger
- · Hazard-determining components of labeling:

propan-2-ol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

(Contd. of page 1)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 2

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
67-63-0	propan-2-ol	73-75%
56-81-5	glycerol	≤ 2.5%

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Remove to fresh air. If symptoms persist consult a doctor.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for a minimum of 15 minutes with running water. If symptoms persist, consult a doctor.

· After swallowing: Immediately contact a doctor or Poison Control Center.

(Contd. on page 3)

Reviewed on 11/18/2014 Printing date 02/28/2020

Trade name: BP Hand Sanitizer 73%

Information for doctor:

(Contd. of page 2)

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- Keep containers cool by spraying with water if exposed to fire.
- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to penetrate the ground/soil.

Do not allow to enter surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep this and all chemicals out of the reach of children.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

· Specific end use(s) No further relevant information available.

(Contd. of page 3)

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Components with limit values that require monitoring at the workplace
---

#### 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

## BEI 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m³ mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

### Ingredients with biological limit values:

#### 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Not required.
- Eye protection: Safety glasses with side shields

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Colorless
Odor:
Characteristic
Not determined.

(Contd. on page 5)

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

	(Contd. of page
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 82 °C (179.6 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.835 g/cm³ (6.96808 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water: VOC content: · Other information	81.0 % 19.0 % 81.0 % No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability Stable
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Extreme heat or open flames.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Oxides of carbon

LIS

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
67-63-0 pi	67-63-0 propan-2-ol		
Oral	LD50	5045 mg/kg (rat)	
Dermal	LD50	12800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	-
67-63-0 propan-2-ol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Dispose of in accordance with federal, state, and local regulations.

(Contd. on page 7)

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

(Contd. of page 6)

- Uncleaned packagings:
  Recommendation: Disposal must be made according to official regulations.
  Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT, IMDG, IATA	Flammable liquids, n.o.s., solution
· Transport hazard class(es)	
·DOT	
RAMME LOSS	
· Class	3 Flammable liquids
Label	3 3 Flammachta limitida
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	П
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids : 33
· EMS Number:	F-E,S-D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ)	1L
	(Contd. on page 8

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

	(Contd. of page 7	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN1993, Flammable liquids, n.o.s., solution, 3, II	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

67-63-0 propan-2-ol 56-81-5 glycerol

7732-18-5 water, distilled, conductivity or of similar purity

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





- · Signal word Danger
- · Hazard-determining components of labeling: propan-2-ol

(Contd. on page 9)

Printing date 02/28/2020 Reviewed on 11/18/2014

Trade name: BP Hand Sanitizer 73%

(Contd. of page 8)

#### · Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### · Precautionary statements

Keep out of reach of children.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Gary Snodgrass
- Date of preparation / last revision 02/28/2020 / 1
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.