## SAFETY DATA SHEET

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME: POG** 

OTHER MEANS OF IDENTIFICATION: Not applicable. GENERAL USE: For professional drycleaning use only. PRODUCT DESCRIPTION: Stain Removal Agent

#### **MANUFACTURER**

Adco Professional Products LLC 1706 Ledo Rd. Albany, GA 31707

**Product Information:** 800-821-7556 (USA

& Canada only)

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

Medical Emergency: 866-303-6947 (USA & Canada

only) **or** 651-632-9272

Transportation Emergency: 800-424-9300 (USA &

Canada only) or 703-527-3887

#### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Flammable Liquids: Category 3 Eye Damage/Irritation: Category 2A Skin Corrosion/Irritation: Category 2

Specific Target Organ Toxicity (STOT-SE) Respiratory Irritant Effects: Category 3 Specific Target Organ Toxicity (STOT-SE) Central Nervous System: Category 3

Aspiration Hazard: Category 1 Carcinogenicity: Category 2

#### GHS LABEL ELEMENTS

#### Symbol(s):







#### Signal Word: Danger

#### **Hazard Statements:**

H226 – Flammable liquid and vapor.

H304 – May be fatal if swallowed and enters airways.

H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

H335 – May cause respiratory irritation.

H336 – May cause drowsiness or dizziness.

H351 – Suspected of causing cancer.

## **Precautionary Statements:**

P201 – Obtain special instructions before use.

P202 – Do not handle until all safety precautions have been read and understood.

P210 – Keep away from heat/sparks/open flames/hot surfaces - No smoking.

P240 – Ground/bond container and receiving equipment.

P241 – Use explosion-proof electrical/ventilating/lighting equipment.

P242 – Use non-sparking tools.

- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in well-ventilated areas.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.
- P301+P310 If SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse SKIN with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 If exposed or concerned, get medical advice/ attention.
- P312 Call POISON CENTER or doctor/physician if you feel unwell.
- P331 DO NOT induce vomiting.
- P332+P313 If skin irritation occurs: Get medical advice/ attention
- P337+P313 If eye irritation persists: Get medical advice/ attention
- P362+P364 Take off contaminated clothing and wash before reuse.
- P370+P378 In case of fire: Use water fog or fine spray, foam, carbon dioxide extinguishers, or dry chemical extinguishers for extinction.
- P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- P501 Dispose of contents and container to licensed, permitted incinerator, or other thermal destruction device.

Other Hazards: Not available.

Unknown Acute Toxicity: Not applicable.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The specific identities of one or more components of this product are withheld as a trade secret.

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS</u>
Solvent naphtha, light aromatic	15 - 40	64742-95-6
Diacetone alcohol	15 - 40	123-42-2
Cyclohexanol	5 - 10	108-93-0
Trade Secret #1	-	-
Trade Secret #2	-	-
Trade Secret #3	-	-
Trade Secret #4	-	-

**Comments:** None.

#### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

**SKIN:** Remove contaminated clothing. Wash with water. Consult a physician if irritation persists.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove affected person to fresh air. If not breathing, give artificial respiration. Get medical attention.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Irritation, redness, swelling, burning sensation.

**SKIN:** Irritation, redness, swelling, drying, cracking, blisters.

**SKIN ABSORPTION:** Insufficient data available.

**INGESTION:** Nausea. Central nervous system depression, drowsiness, dizziness.

**INHALATION:** May be irritating to respiratory tract. Central nervous system depression,

headache, dizziness, unconsciousness.

**ADDITIONAL INFORMATION:** After emergency actions, call the emergency medical information number on page 1 or a physician immediately.

#### 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NFPA Class II

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical, foam, water spray or fog.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, carbon monoxide.

**FIRE FIGHTING EQUIPMENT:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up spill with absorbent material and water, if necessary.

**LARGE SPILL:** Contain spill. Avoid breathing vapor. Clean up spills immediately with absorbent material, observing precautions in the Exposure Controls/Personal Protection section (see section 8). Place absorbed material in closed containers for disposal (see section 13). Do not flush to sewer. Avoid contamination of ground and surface waters.

#### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep away from heat, sparks and flame.

**HANDLING:** Follow all SDS/label precautions even after container is emptied because it may retain product residues.

**STORAGE:** Store in labeled, tightly sealed containers in a cool, well-ventilated area.

**ELECTROSTATIC ACCUMULATION HAZARD:** Ground and bond containers when transferring material.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES:**

**OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)** 

# EXPOSURE LIMITS EL ACGIHTLV Supi

		OSHA PEL	<u>ACG</u>	IH TLV	Suppl	ier OEL
		$ppm mg/m^3$	ppm	$mg/m^3$	ppm	$mg/m^3$
Solvent naphtha, light aromatic	TWA	$50^{[1]}$	25			
	STEL	$NE^{[2]}$	NE			
Diacetone alcohol	TWA	50	50			
	STEL	NE	NE			
Cyclohexanol	TWA	50	50 <sup>[1]</sup>			
	STEL	NE	NE			
Trade Secret #1	TWA	NE	NE			
	STEL	NE	NE			

Trade Secret #2	TWA NE	200
	STEL NE	NE
Trade Secret #3	TWA NE	NE
	STEL NE	100
Trade Secret #4	<b>TWA</b> 100	NE
	STEL NE	NE

#### TABLE FOOTNOTES

- 1. Skin notation.
- 2. NE=Not established.

The specific identities of one or more components of this product are withheld as a trade secret.

ENGINEERING CONTROLS: Not applicable. PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Safety glasses with side shields, or goggles.

**SKIN:** Neoprene or Barrier<sup>TM</sup> gloves.

**RESPIRATORY:** NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**PROTECTIVE CLOTHING:** Where contact is likely, wear the appropriate chemical resistant equipment, which depending on circumstances may include gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

**WORK HYGIENIC PRACTICES:** Wash thoroughly after handling. Do not eat or drink in work area. **OTHER USE PRECAUTIONS:** Have eye wash station available. Do not wear contact lenses without eye protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear.

PHYSICAL STATE: Liquid.

**COLOR:** Light yellow.

**ODOR:** Petroleum.

**ODOR THRESHOLD:** No data available

**pH:** 4.5-5.5

FREEZING POINT: No data available.

INITIAL BOILING POINT: No data available.

FLASHPOINT: 47°C (116°F) (TCC)

**EVAPORATION RATE:** No data available.

**FLAMMABILITY** (Solid, Gas): Not applicable, this product is a liquid at room temperature.

FLAMMABLE LIMITS: No data available. VAPOR PRESSURE: No data available. VAPOR DENSITY: No data available.

**RELATIVE DENSITY: 0.913** 

**SOLUBILITY IN WATER:** Insoluble.

PARTITION COEFFICIENT (Log K<sub>ow</sub>): No data available.
AUTOIGNITION TEMPERATURE: No data available.

**DECOMPOSITION TEMPERATURE:** No data available.

VISCOSITY: 3.58 cP.

PERCENT VOLATILE: ~88

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** No.

CHEMICAL STABILITY: Stable.

POSSIBILITY OF HAZARDOUS REACTIONS: Polymerization will not occur.

**CONDITIONS TO AVOID:** High heat.

**INCOMPATIBLE MATERIALS:** Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: High heat may form noxious decomposition product.

#### 11. TOXICOLOGICAL INFORMATION

**ROUTES OF EXPOSURE:** Inhalation and skin.

**ACUTE TOXICITY (ATE):** 

**DERMAL LD**<sub>50</sub>: > 2000 mg/kg (rabbit)

**ORAL LD**<sub>50</sub>: > 2000 mg/kg (rat)

**INHALATION LC**<sub>50</sub>: Insufficient data available.

#### **CHRONIC**

**TARGET ORGANS:** Components of this product caused liver and/or kidney effects in lab animals; the relevance to humans is unknown. Components of this product may affect the central nervous system and cause dizziness or drowsiness. Components of this product may cause irritation to the respiratory tract.

SENSITIZATION: Insufficient data available.

#### **CARCINOGENICITY**

**IARC:** Components of this product are classified as Group 2B (Possibly carcinogenic to humans).

**NTP:** A component of this product is considered a suspected carcinogen.

**OSHA:** Not listed as a carcinogen.

**OTHER:** Not applicable.

**OTHER:** No data available.

**REPRODUCTIVE EFFECTS:** Insufficient data available.

MUTAGENICITY: Insufficient data available.

**SYNERGISTIC MATERIALS:** No data available.

## POTENTIAL HEALTH EFFECTS

**EYES:** May cause blurred vision.

**SKIN:** Prolonged or repeated contact may cause dermatitis.

**SKIN ABSORPTION:** Insufficient data available.

**INGESTION:** May be harmful if swallowed. In the case of vomiting, product may be aspirated into lungs causing chemical pneumonia, which in extreme cases could lead to death. See section 4, First Aid Measures, for more information.

**ASPIRATION HAZARD:** Yes.

**INHALATION:** May be harmful if inhaled.

MEDICAL CONDITIONS AGGRAVATED: No data available.

**GENERAL COMMENTS:** Refer to Section 3 for additional information on potential health effects.

#### 12. ECOLOGICAL INFORMATION

**ECOTOXICITY:** Components of this product have moderate aquatic toxicity.

PERSISTENCE AND DEGRADABILITY: Insufficient data available.

**BIOACCUMULATIVE POTENTIAL:** Insufficient data available.

MOBILITY IN SOIL: Insufficient data available.

OTHER ADVERSE EFFECTS: No data available

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Recovered liquids may be sent to a licensed reclaimer or incineration facility. Contaminated material must be disposed of in a permitted waste management facility. Consult federal, state and local authorities for approved procedures.

**EMPTY CONTAINER:** Not applicable.

RCRA/EPA WASTE INFORMATION: Contains material(s) that are ignitable wastes as defined by

RCRA.

#### 14. TRANSPORT INFORMATION

#### **DOT (DEPARTMENT OF TRANSPORTATION)**

PROPER SHIPPING NAME: Flammable Liquid, NOS

TECHNICAL NAME: Petroleum distillates.
PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: UN1993 PACKING GROUP: III

**LABEL:** Flammable Liquid (Class 3), where applicable. **OTHER SHIPPING INFORMATION:** No data available.

#### CANADA TRANSPORT OF DANGEROUS GOODS

PROPER SHIPPING NAME: Flammable Liquid, NOS

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: UN1993 PACKING GROUP: III

**LABEL:** Flammable Liquid (Class 3), where applicable. **OTHER SHIPPING INFORMATION:** No data available.

#### AIR (ICAO/IATA)

PROPER SHIPPING NAME: Flammable Liquid, NOS

**PRIMARY HAZARD CLASS/DIVISION: 3** 

UN/NA NUMBER: UN1993 PACKING GROUP: III

**LABEL:** Flammable Liquid, NOS (Class 3) label required when shipped by air.

PLACARD: Consult applicable regulations governing air shipments.

**IATA NOTE:** No data available.

### 15. REGULATORY INFORMATION

#### **UNITED STATES**

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE: Yes. PRESSURE GENERATING: No. REACTIVITY: No. ACUTE: Yes.

CHRONIC: Yes.

**313 REPORTABLE INGREDIENTS:** Cyclohexanol is reportable.

## CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

**CERCLA RQ:** Not applicable.

**REPORTABLE SPILL QUANTITY:** Not applicable.

**RCRA STATUS:** See section 13.

#### **MEXICO**

Regulated for transportation.

## STATE REGULATIONS

#### **MASSACHUSETTS**

Contains one or more substances regulated by the Massachusetts Substance List.


## **CALIFORNIA**

PROPOSITION 65 STATEMENT: Certain components of this product are on the Proposition 65 list of chemicals known to the State of California to cause cancer.

#### 16. OTHER INFORMATION

HMIS RATINGS				
HEALTH:	1			
FLAMMABILITY:	2			
REACTIVITY:	0			
PERSONAL PROTECTION:	В			

#### NFPA RATINGS



SDS Revision Date: July 21, 2015